

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of December 31, 2005
Passaic County Residents

| 1. Current HIV/AIDS Category | Adult/Adolescent * | | Pediatric * | | Total | |
|------------------------------|--------------------|-----|-------------|-----|-------|-----|
| | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| AIDS-Any OI | # | # | # | # | 449 | 18 |
| AIDS-CD4 Only | # | # | # | # | 876 | 35 |
| HIV Only | 1177 | 47 | 22 | 88 | 1199 | 48 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 2499 | 100 | 25 | 100 | 2524 | 100 |

| Current | | | | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| 2. Age * | Cases | % | 3. Race/Eth. | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | ----- | --- | ----- | --- | ----- | --- |
| <5 | # | # | White, Not Hispanic | 408 | 16 | 6 | 24 | 414 | 16 |
| 5-12 | 23 | 1 | Black, Not Hispanic | 1221 | 49 | 14 | 56 | 1235 | 49 |
| 13-19 | 39 | 2 | Hispanic | 844 | 34 | 5 | 20 | 849 | 34 |
| 20-29 | 124 | 5 | Other/Unknown | 26 | 1 | 0 | 0 | 26 | 1 |
| 30-39 | 525 | 21 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 1068 | 42 | Total | 2499 | 100 | 25 | 100 | 2524 | 100 |
| 50+ | 743 | 29 | | | | | | | |
| Unk. | # | # | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 2524 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Modified Exposure Categories ** | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 375 | 26 | 0 | 0 | 375 | 15 |
| Injection drug user (IDU) | 446 | 31 | 289 | 29 | 735 | 30 |
| MSM/IDU | 53 | 4 | 0 | 0 | 53 | 2 |
| Heterosexual contact*** | 433 | 30 | 636 | 63 | 1069 | 43 |
| Risk not reported/other**** | 144 | 10 | 87 | 9 | 231 | 9 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 1451 | 100 | 1012 | 100 | 2463 | 100 |

| | Pediatric Modified Exposure Categories | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | 34 | 97 | 24 | 92 | 58 | 95 |
| Risk not reported/other**** | # | # | # | # | # | # |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 35 | 100 | 26 | 100 | 61 | 100 |

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of December 2005.

** 36 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2005
Passaic County Residents

| 1. Disease Category | Adult/Adolescent* | | Pediatric* | | Total | |
|---------------------|-------------------|------------|------------|------------|------------|------------|
| | Cases (%) | Deaths (%) | Cases (%) | Deaths (%) | Cases (%) | Deaths (%) |
| PCP | 1010 (26) | 848 (84) | 23 (37) | 19 (83) | 1033 (26) | 867 (84) |
| Other OI w/o PCP | 1188 (30) | 959 (81) | 38 (61) | 26 (68) | 1226 (31) | 985 (80) |
| KS Alone | 41 (1) | 28 (68) | 0 (0) | 0 (.) | 41 (1) | 28 (68) |
| No Disease Listed | 1688 (43) | 784 (47) | # (#) | 0 (0) | 1689 (42) | 784 (47) |
| Total | 3927 (100) | 2619 (67) | 62 (100) | 45 (73) | 3989 (100) | 2664 (67) |

| 2. Age * | Cases | % | 3. Race/Eth. | Adult/Adl* Cases % | Pediatric* Cases % | Total Cases % |
|----------|-------|-----|---------------------|-----------------------|-----------------------|------------------|
| Under 5 | 49 | 1 | White, Not Hispanic | 686 17 | 7 11 | 693 17 |
| 5-12 | 13 | 0 | Black, Not Hispanic | 2173 55 | 41 66 | 2214 56 |
| 13-19 | 24 | 1 | Hispanic | 1058 27 | 14 23 | 1072 27 |
| 20-29 | 561 | 14 | Other/Unknown | 10 0 | 0 0 | 10 0 |
| 30-39 | 1727 | 43 | ----- | ----- | ----- | ----- |
| 40-49 | 1140 | 29 | Total | 3927 100 | 62 100 | 3989 100 |
| Over 49 | 475 | 12 | | | | |
| Unknown | 0 | 0 | | | | |
| Total | 3989 | 100 | | | | |

| 4. Patient Group | Adult/Adolescent Modified Exposure Categories ** | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Men sex with men (MSM) | 552 | 21 | 0 | 0 | 552 | 14 |
| Injection drug user (IDU) | 1279 | 49 | 589 | 45 | 1868 | 48 |
| MSM/IDU | 124 | 5 | 0 | 0 | 124 | 3 |
| Heterosexual contact*** | 492 | 19 | 661 | 50 | 1153 | 29 |
| Risk not reported/other**** | 156 | 6 | 73 | 6 | 229 | 6 |
| Total | 2603 | 100 | 1323 | 100 | 3926 | 100 |

| | Pediatric Modified Exposure Categories | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Parent at risk/has AIDS/HIV | 38 | 90 | 19 | 90 | 57 | 90 |
| Risk not reported/other**** | # | # | # | # | 6 | 10 |
| Total | 42 | 100 | 21 | 100 | 63 | 100 |

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of December 31, 2005
Passaic County Residents

5. AIDS Cases by Year of Diagnosis.

| Year of Diagnosis ----- | Number of Cases ----- | Number of Deaths ----- | Case-Fatality Rate ----- |
|-------------------------------|-----------------------------|------------------------------|--------------------------------|
| Before 1985 | 57 | 54 | 95% |
| 1985 | 80 | 76 | 95% |
| 1986 | 107 | 100 | 93% |
| 1987 | 163 | 158 | 97% |
| 1988 | 168 | 164 | 98% |
| 1989 | 239 | 214 | 90% |
| 1990 | 277 | 255 | 92% |
| 1991 | 248 | 229 | 92% |
| 1992 | 333 | 290 | 87% |
| 1993 | 353 | 286 | 81% |
| 1994 | 297 | 221 | 74% |
| 1995 | 302 | 179 | 59% |
| 1996 | 298 | 135 | 45% |
| 1997 | 196 | 91 | 46% |
| 1998 | 147 | 57 | 39% |
| 1999 | 142 | 43 | 30% |
| 2000 | 133 | 34 | 26% |
| 2001 | 114 | 24 | 21% |
| 2002 | 97 | 21 | 22% |
| 2003 | 89 | 16 | 18% |
| 2004 | 101 | # | # |
| 2005 | 48 | # | # |
| ----- | ----- | ----- | ----- |
| Total | 3989 | 2664 | 67% |

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005
Passaic County Residents

| 1. Age * | Cases % | | 2. Race/Ethnicity | Adult/Adl* | | Pediatric* | | Total | |
|----------|---------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| | Cases | % | | Cases | % | Cases | % | Cases | % |
| Under 5 | 36 | 3 | White, Not Hispanic | 222 | 16 | 8 | 19 | 230 | 16 |
| 5-12 | 7 | 0 | Black, Not Hispanic | 670 | 49 | 25 | 58 | 695 | 49 |
| 13-19 | 49 | 3 | Hispanic | 459 | 33 | 10 | 23 | 469 | 33 |
| 20-29 | 327 | 23 | Other/Unknown | 21 | 2 | 0 | 0 | 21 | 1 |
| 30-39 | 550 | 39 | | | | | | | |
| 40-49 | 327 | 23 | Total | 1372 | 100 | 43 | 100 | 1415 | 100 |
| Over 49 | 119 | 8 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| Total | 1415 | 100 | | | | | | | |

| 3. Patient Group | Adult/Adolescent Modified Exposure Categories ** | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Men sex with men (MSM) | 183 | 23 | 0 | 0 | 183 | 13 |
| Injection drug user (IDU) | 248 | 32 | 183 | 31 | 431 | 31 |
| MSM/IDU | 24 | 3 | 0 | 0 | 24 | 2 |
| Heterosexual contact*** | 214 | 27 | 339 | 57 | 553 | 40 |
| Risk not reported/other**** | 110 | 14 | 70 | 12 | 180 | 13 |
| Total | 779 | 100 | 592 | 100 | 1371 | 100 |

| | Pediatric Modified Exposure Categories | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| Parent at risk/has AIDS/HIV | 26 | 100 | 17 | 94 | 43 | 98 |
| Risk not reported/other**** | 0 | 0 | # | # | # | # |
| Total | 26 | 100 | 18 | 100 | 44 | 100 |

* Classification at time of first HIV+ test.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

** 1 patients were diagnosed with HIV as adults, but have evidence of having
been HIV-infected as children. They are counted as adult/adolescent
reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with no other risk identified
who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with transmission categories of
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS
that have subsequently been updated to AIDS. Also not included in these tables are
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2005
Passaic County Residents

| 1. Current HIV/AIDS Category | Adult/Adolescent * | | Pediatric * | | Total | |
|------------------------------|--------------------|-----|-------------|-----|-------|-----|
| | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| AIDS-Any OI | 2352 | 44 | 62 | 59 | 2414 | 45 |
| AIDS-CD4 Only | 1575 | 30 | 0 | 0 | 1575 | 29 |
| HIV Only | 1372 | 26 | 43 | 41 | 1415 | 26 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 5299 | 100 | 105 | 100 | 5404 | 100 |

| 2. Age * | | | 3. Race/Eth. | Adult/Adl* | | Pediatric* | | Total | |
|----------|-------|-----|---------------------|------------|-----|------------|-----|-------|-----|
| | Cases | % | | Cases | % | Cases | % | Cases | % |
| ----- | ----- | --- | ----- | ----- | --- | ----- | --- | ----- | --- |
| Under 5 | 86 | 2 | White, Not Hispanic | 908 | 17 | 15 | 14 | 923 | 17 |
| 5-12 | 19 | 0 | Black, Not Hispanic | 2843 | 54 | 66 | 63 | 2909 | 54 |
| 13-19 | 90 | 2 | Hispanic | 1517 | 29 | 24 | 23 | 1541 | 29 |
| 20-29 | 1086 | 20 | Other/Unknown | 31 | 1 | 0 | 0 | 31 | 1 |
| 30-39 | 2296 | 42 | ----- | ----- | --- | ----- | --- | ----- | --- |
| 40-49 | 1295 | 24 | Total | 5299 | 100 | 105 | 100 | 5404 | 100 |
| Over 49 | 532 | 10 | | | | | | | |
| Unknown | 0 | 0 | | | | | | | |
| ----- | ----- | --- | | | | | | | |
| Total | 5404 | 100 | | | | | | | |

| 4. Patient Group | Adult/Adolescent Modified Exposure Categories ** | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Men sex with men (MSM) | 735 | 22 | 0 | 0 | 735 | 14 |
| Injection drug user (IDU) | 1527 | 45 | 772 | 40 | 2299 | 43 |
| MSM/IDU | 148 | 4 | 0 | 0 | 148 | 3 |
| Heterosexual contact*** | 706 | 21 | 1000 | 52 | 1706 | 32 |
| Risk not reported/other**** | 266 | 8 | 143 | 7 | 409 | 8 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 3382 | 100 | 1915 | 100 | 5297 | 100 |

| | Pediatric Modified Exposure Categories | | | | | |
|-----------------------------|--|-----|---------|-----|-------|-----|
| | Males | % | Females | % | Total | % |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Parent at risk/has AIDS/HIV | 64 | 94 | 36 | 92 | 100 | 93 |
| Risk not reported/other**** | # | # | # | # | 7 | 7 |
| ----- | ----- | --- | ----- | --- | ----- | --- |
| Total | 68 | 100 | 39 | 100 | 107 | 100 |

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 2 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of December 31, 2005
Passaic County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

| Year of First HIV/AIDS Diagnosis | Number of Cases | Number Known Dead | Case-Fatality Rate |
|-------------------------------------|--------------------|----------------------|-----------------------|
| ----- | ----- | ----- | ----- |
| Before 1985 | 66 | 61 | 92% |
| 1985 | 99 | 91 | 92% |
| 1986 | 155 | 129 | 83% |
| 1987 | 232 | 203 | 88% |
| 1988 | 294 | 248 | 84% |
| 1989 | 392 | 311 | 79% |
| 1990 | 455 | 352 | 77% |
| 1991 | 446 | 318 | 71% |
| 1992 | 552 | 324 | 59% |
| 1993 | 407 | 219 | 54% |
| 1994 | 336 | 171 | 51% |
| 1995 | 295 | 117 | 40% |
| 1996 | 284 | 97 | 34% |
| 1997 | 226 | 69 | 31% |
| 1998 | 170 | 37 | 22% |
| 1999 | 182 | 31 | 17% |
| 2000 | 196 | 29 | 15% |
| 2001 | 160 | 26 | 16% |
| 2002 | 156 | 17 | 11% |
| 2003 | 129 | 15 | 12% |
| 2004 | 111 | # | # |
| 2005 | 61 | # | # |
| ----- | ----- | ----- | ----- |
| Total | 5404 | 2880 | 53% |